

Arizona Department of Water Resources Groundwater Permitting and Wells Section 1802 W Jackson St. Box 79, Phoenix, AZ 85007 (602) 771-8527 • www.azwater.gov

Well Abandonment Completion Report

- Review instructions prior to completing form in black or blue ink.
- The drilling firm or single well licensee must file this report within 30 days of completion of abandonment. (A.R.S. § 45-594, A.A.C. R12-15-816)

FILE NUMBER
WELL REGISTRATION NUMBER
55 -

** PLEASE PRINT CLEARLY **

SECTION	N 1. ABANI	DONMEN ⁻	T AUTHO	RIZATION	I												
Drilling F	irm																
	NAME					DWR L	LICENSE NUMBER										
ö	ADDRESS					TEI EDI	PHONE NUMBER										
Mail To:	ADDINESS																
≥	CITY / STATE /	/ ZIP				FAX											
	1 2. REGIS		RMATIO	N													
	ner Informa OF COMPANY,			IDITAL		CONTA	ACT PERSON NAME AND TITLE										
I OLL IVAIVIL	OI COMPANT,	ONGANIZATI	ON, OK INDIV	IDUAL		CONTA	ACT PERSON NAME AND TITLE										
MAILING AD	DRESS					TELEPI	PHONE NUMBER										
CITY / STAT	E / ZIP CODE					FAX											
Location	TION ADDRESS	(IE ANV)				LATITU	UDE LONGITUDE										
WELL LOCA	TION ADDICESS	(II ANI)				LATITO	° ' "N ° ' "W										
				T		Degre											
TOWNSHIP (N/S	RANGE (E/W)	SECTION	160 ACRE	40 ACRE	10 ACRE	LAND S	SURFACE ELEVATION AT WELL										
			1/4	1/4	1/4	METHO	Feet Above Sea Level OD OF LATITUDE/LONGITUDE (CHECK ONE)										
COUNTY AS	SESSOR'S PAR	CEL ID NUMB	BER			d □ us	SGS Quad Map Conventional Survey ** *GPS: Survey-Grade										
BOOK		MAP		PARCEL		*IF GPS	S WAS USED, GEOGRAPHIC COORDINATE DATUM (CHECK ONE)										
						□ NAD-83 □ Other (please specify):											
CECTION	1.0																
SECTION Question					Yes	No	Explanation:										
-	r knowledge,	ic there on	v informatio	on that avia		140	IF YES, EXPLAIN (ATTACH ADDITIONAL PAGE IF NECESSARY)										
	ndicates that				is												
	e or is contam			•													
	e another wel						IF YES, PLEASE STATE										
	ated with this Smith Well, et		., MW-1, PZ	Z-4, Lot 29													
	abandonme	•	well have 2	n' of surfac	Δ												
	AND 20' of g						If no, was the top 20' of casing removed prior to setting the cement plug? ☐ Yes ☐ No										
surrou	nding the cas	ing?					the cement plug?										
4. Was th	e well backfil	led above t	he cement	plua?													
	.c .ro baokiii			L.~A.													
5. Was th	e well casing	ı video loga	ed?														
J	odomy																
6. Why w	as the well at	pandoned?															
J, W																	

WELL REGISTRATION NUMBER

55 -

Existing Borehole Existing Casing (to the best of your knowledge)	SECTION 4. ORIGINAL WELL CONSTRUCTION DESIGN (attach additional page if needed)																									
DEPTH FROM TO (leasing: Good Fair Poor Script From Superace (leasing: Good Fair Poor Script From Superace From To (leasing: Good Fair Poor Script From Superace From To (leasing: Good Fair Poor Script From Superace From To (leasing: Good Fair Poor Script From Superace From To (leasing: Good Fair Poor Script From Superace From To (leasing: Good Fair Poor Script From Superace From Superace From To (leasing: Good Fair Poor Script From Superace From S	Exis	sting Bore										•	Cas	sing	j (to	the b	best o		our k	knov						
PROM TO Gent) DePTH FROM TO Gent) Refer to ADVIR'S Well Abandonment Handbook for additional information. SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information. SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional information.) SECTION 5. ACTUAL WELL ABANDONMENT DESI										T			MA	ΓERI	AL TY	/PE (T)	Ŧ	PE	RFC	RAT	ION	N TYPE (T)			
DEPTH FROM SURFACE	FROM	то	DIAI	METE	ĒR		ОМ	-	то		DIAMETER	STEEL	PVC	ABS		TYPE	Έ,	BLANK OR NONE	WIRE WRAP	SHUTTER SCREEN	MILLS KNIFE	SLOTTED	IF _.	TYF	PE,	IF ANY
DEPTH FROM SURFACE													\vdash	<u> </u>				+	\vdash	\vdash	lacksquare	 	 	_		
DEPTH FROM SURFACE		 	 		+			 		+		\vdash	\vdash	\vdash	-			+	\vdash		-	+	\vdash			
DEPTH FROM SURFACE			<u> </u>			Con	ditio	n of	casin	na:	☐ Good	 	Ц,	Fair Poor												
SECTION 5. ACTUAL WELL ABANDONMENT DESIGN (attach additional page if needed)									Annul	lar	Material	l (to		bes	st of	your	_		ge)							
Section 5. Actual Well Abandonment Handbook for additional information. Sealing or Fill Material				$\overline{}$	$\overline{}$				Al															_	FILTER	PACK
Refer to ADWR's Well Abandonment Handbook for additional information. Casing Treatment	FROM	то	NONE	CONCRETE	NEAT CEMENT OR	CEMENT GROUT GROUT GROUT GROUT GROUT HELLETS ALBENTONITE GROUT AND					IF C	IF OTHER TYPE OF ANNULAR MATERIAL, DESCRIBE O O O O O O O O O O O O O										SIZE				
Refer to ADWR's Well Abandonment Handbook for additional information. Casing Treatment										_		_	_	_	_	_		_	_	_	_	_		Ĺ	I	
Refer to ADWR's Well Abandonment Handbook for additional information. Casing Treatment						Ī				_		_	_	_	_		_	_	_	_	_	_		L		
TREATMENT TYPE (T) Sealing or Fill Material DEPTH FROM SURFACE FROM TO (feet) (feet																	ge if	need	(bet)						
TREATMENT TYPE (T) SURFACE DEPTH FROM SURFACE DESCRIBE OR FROM TO (feet) FROM SURFACE DESCRIBE OR FROM TO (feet) FROM TO (feet)			ell Ab	band	onm	ent F	land	ook	for ac	ditio	onal	DE	:PTH	TO			low L	.a <u>nd</u>	S <u>urf</u>	ace	ı	TE A	BANI	10C	NMENT	COMPLETED
SURFACE SURFACE		Ca	sing													Se		_				rial				ı
FROM TO (feet)				Т	REA	TMEN ^T	1	. ,												,	٠,	SOLI	DS			
CHECK ONE Standard Method Alternative 4: Other (please specify): Alternative 1 Variance Option Alternative 2 Alternative 5: Pressure Grouting Alternative 3 Variance Option 1 Other (please specify): REMARKS I state that this notice is filed in compliance with A.R.S. § 45-594 and A.A.C. R12-15-816 and is complete and correct to the best of my knowledge and belief.	FROM	то	\neg	BRUSH OR SCRAPE	MILLS KNIFE	CASING REMOVAL (explain in Remarks)	IF (PE [SPAC OF PI	DESCRIBE OR F CASING WAS PERFORATED, DESCRIBE PACING AND SIZE F PERFORATIONS			FROM		то			CONCRETE	SAND-CEMENT GROUT	GROUT CEMENT-BENTONITE GROUT	SAND-BENTONITE		ENTO	ONIT	ΓE		RATION by (check of Weig	O VOLUME OF MATERIAL USED (cubic feet
CHECK ONE Standard Method Alternative 4: Other (please specify): Alternative 1 Variance Option Alternative 2 Alternative 5: Pressure Grouting Alternative 3 Variance Option 1 Other (please specify): REMARKS I state that this notice is filed in compliance with A.R.S. § 45-594 and A.A.C. R12-15-816 and is complete and correct to the best of my knowledge and belief.		<u> </u>		<u> </u>	_	<u> </u>	<u> </u>			_		<u> </u>						<u> </u>	<u> </u>	\perp	\downarrow	\perp	\perp	4		
CHECK ONE Standard Method Alternative 4: Other (please specify): Alternative 1 Variance Option Alternative 2 Alternative 5: Pressure Grouting Alternative 3 Variance Option 1 Other (please specify): REMARKS I state that this notice is filed in compliance with A.R.S. § 45-594 and A.A.C. R12-15-816 and is complete and correct to the best of my knowledge and belief.		<u> </u>		<u> </u>	_		 			\dashv		_						\vdash	_	\downarrow	\downarrow	+	+	4		
CHECK ONE Standard Method Alternative 4: Other (please specify): Alternative 1 Variance Option Alternative 2 Alternative 5: Pressure Grouting Alternative 3 Variance Option 1 Other (please specify): REMARKS I state that this notice is filed in compliance with A.R.S. § 45-594 and A.A.C. R12-15-816 and is complete and correct to the best of my knowledge and belief.			\vdash		<u> </u>		 			-		<u> </u>		_		\vdash		$\vdash \vdash$	<u> </u>	+	+	+	+	+		
CHECK ONE Standard Method Alternative 4: Other (please specify): Alternative 1 Variance Option Alternative 2 Alternative 5: Pressure Grouting Alternative 3 Variance Option 1 Other (please specify): REMARKS I state that this notice is filed in compliance with A.R.S. § 45-594 and A.A.C. R12-15-816 and is complete and correct to the best of my knowledge and belief.	Actual /	Abandoni	 nent	t Me	tho	<u> </u> d (S€	e We	ıll Aba	andonr	men!	t Handbook	()			En	ומר alar	cem	ent	Me	thc	<u> </u> od (of S	eali	ng	or Fi	 Material
	Standard Method Alternative 4: Other (please) Alternative 1 Variance Option Alternative 2 Alternative 5: Variance Option 1 Variance Option 2									•	pecify	y): Gravity Pressure Grouting Tremie Pumped														
	I state that	this notice is	filadi	'n cor	naliar	wi	45 A E	2 2 2	1E 501	1 220	- A A C P15	2 15	916	and	· io co	nlot	to and	l corre	at to	- tho	has	4 of r	- kn	214/	12402 21	haliaf
					Ιριιαι ι	C C with	II A.N.	.S. y -	40-03-4	anu	A.A.O. NIZ															

Well Abandonment Completion Report



Introduction

These instructions are a guide to filling out Form DWR 55-58 (Rev. 04/2022), entitled "Well Abandonment Completion Report." Please review the instructions prior to completing the form in black or blue ink. Forms may be obtained at any Arizona Department of Water Resources (ADWR) office and at ADWR's web site, http://www.azwater.gov. For information about the form or these instructions, contact the Groundwater Permitting and Wells Section at (602) 771-8527. There is no fee for filling this form.

When Form DWR 55-58 Must be Filed

A Well Abandonment Completion Report must be filed within 30 days after a well is abandoned. The report must be filed by the drilling contractor or single well licensee that abandoned the well. A report must be filed for the abandonment of any type of well, including groundwater production wells, monitor wells, exploration wells, geotechnical wells and cathodic protection wells.

Instructions for Filling out the Form

Well Registration Number

Fill in the registration number of the well in the space in the upper right-hand corner of both pages of the form. This is the number ADWR assigned to the well when the well was registered or when an application to drill the well was filed.

Section 1 – Abandonment Authorization

Fill in the name, DWR license number and telephone and fax numbers of the drilling firm that abandoned the well.

Section 2 - Registry Information

Well Owner Information

Fill in the name, mailing address and telephone and fax numbers of the owner of the abandoned well. If the well owner is a corporation, governmental unit or other entity, provide the name of a contact person.

Location of Well

Fill in the following information relating to the location of the well:

- The street address of the property where the well was located. For monitor wells or other wells associated with contaminant investigations or remedial projects, this will usually be the same as the facility address.
- The legal description of the abandoned well location. The legal description is the township, range, section, and in decreasing order, the quarters of that section so that the well location falls in a 10-acre block somewhere in that section. This information may be obtained from the county tax assessor's office.
- The county tax assessor's parcel identification number for the land where the well was located. This information can normally be taken from the original Notice of Intent to drill the well, and may also be obtained from the county tax assessor's office. Federal or State land will not have a parcel identification number.
- The latitude and longitude (in degrees-minutesseconds format) and land surface elevation at the abandoned well location, and the method used to determine these data. Use of a Global Positioning System (GPS) receiver or a conventional survey is the preferred method, although the data may also be obtained through estimation from a USGS quadrangle map. If a GPS unit is used, the unit should be adjusted to use the NAD-83 datum. Please indicate if the geographic coordinate datum used was NAD-83, and if not, which datum was used.

Section 3 - Questions

Check the appropriate boxes and fill in information indicating the following:

- 1. Whether any information exists indicating that water in the well has historically been contaminated, is currently contaminated, or may be contaminated. If yes, provide an explanation.
- 2. Whether there is any other name or identification number for the well.
- 3. Whether the well had a surface casing of at least 20 feet and grout in the annular space surrounding the casing for at least 20 feet prior to abandonment. If not, indicate whether the top 20 feet of casing was removed prior to setting the cement plug.

- 4. Whether the well was backfilled above the cement plug.
- 5. Whether the well casing was video logged.
- 6. The reason the well was abandoned.

Section 4 - Original Well Construction Design

Section 4 contains three tables for filling in information on the original well construction design. ADWR recognizes that this information will not always be available, particularly for older irrigation, stockwater or domestic wells. It should be available for monitor and remediation wells, or more modern wells with good records. Fill in as much information as possible.

In the **Existing Borehole** table, fill in the diameter of the existing borehole in inches, and indicate the depth interval for each change in diameter. In the **Existing Casing** table, fill in the outer diameter of the casing in inches, check the appropriate boxes indicating the type of casing material and the type of perforations and fill in the slot size of any perforations. Fill in the depth interval for each change in information. Please note that not every interval will be perforated. Check the "Blank or None" box for non-perforated depth intervals. If the type of casing material or perforations is not listed, describe the type in the appropriate box. Finally, check the appropriate box indicating whether the existing casing is in good, fair or poor condition.

In the **Existing Annular Material** table, check the appropriate boxes indicating the type of annular material or filter pack installed at each depth interval. Fill in the size of the filter pack used. Provide the depth interval for each change in information. If the type of annular material is not listed, describe the material in the appropriate box.

Section 5 – Actual Well Abandonment Design

Section 5 requires information on the actual well abandonment design. In the boxes in the upper right-hand corner, fill in the depth to water and the date when abandonment was completed. The two tables below that box require information on the casing treatment and the sealing or fill material.

In the Casing Treatment table, check the appropriate box indicating the type of casing treatment that was used. If the casing was removed, check the "casing removal" box and provide a description of the removal technique in "Remarks." If the type of casing treatment that was used is not listed, explain the treatment in the appropriate box. If the casing was perforated during treatment, describe the size and frequency of perforations for each interval. The casing treatment

must be indicated by depth interval, and the depth interval must be filled in.

In the **Sealing or Fill Materials** table, check the appropriate box indicating the sealing or fill material that was used. Note any changes by depth interval. Also, fill in the mixing ratio of the material and check the appropriate box indicating whether the ratio is by weight or volume. Finally, fill in the volume of material used for each depth interval.

Below the two tables, fill in information on the actual abandonment method and the emplacement method of sealing or fill material. The Department's Well Abandonment Handbook must be consulted before filling in the actual abandonment method. The standard method and the five alternative methods are described in the handbook. Check only one abandonment method. If "Other" is checked, provide a description of the method in "Remarks."

Signature Block

The form must be signed and dated by the drilling firm's qualified party. The name and title of the person signing the form must be typed or printed in the space above the signature.

Where to File Form

Completed forms may be mailed to ADWR at the following address:

Arizona Department of Water Resources

Groundwater Permitting and Wells Section 1802 W Jackson St. Box 79 Phoenix, AZ 85007

Completed forms may also be submitted to ADWR's main office in at 1110 W. Washington St., Suite 310, Phoenix, Arizona 85007-2952.

The completed form must be legible and of good quality when received by ADWR so that it can be scanned into ADWR's permanent records.